V4

Excel Short Form Product Guide

Excel is a world-class premium performing end-to-end infrastructure solution - designed, manufactured, supported and delivered - without compromise.

www.excel-networking.com

excel
without compromise.

cebeo
A Sonepar Company

Introducing Excel

Excel is a world-class premium performance end-to-end infrastructure solution
- designed, manufactured, supported and delivered - without compromise.

Excel is driven by a team of industry experts based in the UK, ensuring the latest innovation and manufacturing capabilities are implemented to surpass industry standards for quality and performance, technical compliance and ease of installation and use.

This catalogue provides a list of the fast moving products and highlights new products in the Excel range. There are numerous other products available and a much wider choice - to see the full range please see the Excel Product Guide or visit **www.excel-networking.com** to see the full online catalogue, which includes much greater detail and links to the specification sheets , DOPs and the Force Technology (formerly Delta) certificates where applicable.

Please be aware that not all products are available in every country, so please check with your local provider to check availability.

A Complete Solution - without compromise.

Voice cabling

Copper cabling

Environ Racks & Open Frames

PDUs

Enbeam Fibre Cabling

As well as...

- FTTx Solutions
- Blown Fibre
- Residential Solutions
- Pre-Terminated Copper & Fibre
- Data Centre Solutions

Third Party Verification

Excel has invested in test and verification programmes for over 22 years working closely with third party laboratories such as Force Technology (formerly known as Delta) in Denmark.

Third party verifications are an independent tick in the box, verifying either a product or a set of products compliance with a particular performance standard.

The Excel Category 6 and Category 6_A systems are amongst very few systems on the market that carry both a Channel and Component Certification.

Not all vendors offer this level of assurance, or maintain their verification annually, we encourage you to compare the Excel strength in this area with others in the market.

To download copies of our third party verification certificates please visit **www.excel-networking.com**

UKCA Conformity Assessment marking

The UK Conformity Assessment marking is the new product marking that will be required for certain products placed on the market in Great Britain (England, Wales and Scotland). It covers most products that previously required the CE marking.

All products which come under EN50575 will have both the CE and UKCA marks listed on the Declaration of Performance certificates where applicable.

Excel 25 year system warranty

When installed by an Excel Partner the Excel Cabling System is backed by a 25 year application warranty.

- Lifetime product warranty standard on all installations
  - Covers copper, fibre optic and Environ® Floor Standing Racks when installed as part of a total Excel Solution
- Registered sites covered by 25 year application warranty
  - Link warranty as standard, channel on application
  - Issued to ISO, EN and TIA standards
  - Warranty available to cover copper, fibre and voice cabling systems
  - Bandwidth warranty
- Category 6_A warranty covers support of 10 Gigabit Ethernet

Excel Partner Programme

Excel is sold through selected distribution partners throughout the world – to find details of your nearest distributor please see the details on the back cover or contact **internationalsales@excel-networking.com**

There are many advantages to becoming an Excel Partner including:

- 25 year system warranty
- Personalised Products
- Personalised PDF Literature
- Sales and Technical Training
- Project Price Support
- Free Technical Support
- Marketing Assets, Resources and Artwork

To receive further details and visit **www.excel-networking.com** or email **internationalsales@excel-networking.com**

CPR Construction Products Regulation

The CPR (Construction Products Regulation) has been around for over 16 years and the inclusion of communications cables - both Copper and Fibre - came into force on the 1st of July 2016.

All products supplied by Excel into the EU market since 1st July 2017 are CPR compliant. We demonstrate this through certificates known as Declarations of Performance (DOPs) (available on the Excel website, through labelling on product packaging, printing in the legend on the outer sheath of the cable jackets, or by the product being placed on the market prior to this date. A product's Euroclass also appears on all Excel Networking specification sheets and in forthcoming editions of the product catalogue, along with sub-classifications for smoke development (s), flaming droplets (d) and acidity (a).

The impact of BS6701:A1

BS6701:2016+A1:2017 states that the minimum Euroclass for telecommunications cable within scope of CPR shall be Cca s1b d2 a2. Excel products meet or exceed the minimum requirements defined within BS6701:2016+A1:2017.

Excel Explains...

Take a look at our Youtube Channel (www.youtube.com/excelnetworking) to view our series of Excel Explains webinars, where we delve into the finer details of the Construction Products Regulation and the BS6701:A1.

Euroclass(ca)	Classification Criteria	Additional Criteria	Attestation of conformity system
A	EN ISO 1716 Gross heat of combustion		
B1	EN 50399 Heat release Flame spread	Smoke production (s1a, s1b, s2, s3) EN50399/EN61034-2	1+ Initial type-testing and continuous surveillance with audit testing of samples by 3rd party certification body factory production control (FPC) by manufacturer
B2			
C	EN 50575 Flame propagation	Acidity (a1, a2, a3) EN 50267-2-3	
D		Flaming droplets (d0, d1, d2) EN 50399	3 Initial type testing by 3rd party laboratory FPC by manufacturer
E	EN 50575 Flame propagation		
F			4 Initial type testing and FPC by manufacturer

CPR Compliance

Excel offer CPR-compliant cabling across their copper and fibre portfolios, with product available to suit each Member country's requirements.

Visit **www.excel-networking.com** to learn more about CPR and the BS6701:A1. There is a short video and a downloadable infographic which help to clarify details about the industry regulation and what you should do in order to comply.

Understanding CPR and BS6701:A1 at a glance…

Visit **www.excel-networking. com/understanding-cpr** to learn more and download our CPR Infographic.

Understand what a Euroclass means:

Class Cca, S1b, d2, a2

Fire performance class

Application to cables

Acidity rating

Droplets rating

Smoke rating

Be aware of the difference in performances of each Euroclass:

A closer look at CPR Euroclasses

Fca	Undetermined reaction	**B2ca**	Low reaction
Eca	Basic reaction	**B1ca**	Very low reaction
Dca	Improved reaction	**Aca**	No reaction
Cca	Reduced reaction		

- A CPR-Compliant cable must belong to 1 of 7 Euroclass categories.
- Each category relates precisely to the way it performed under the appropriate testing.
- Each Euroclass Aca – Fca determines an individual cable's reaction to fire

A B1 B2 C D E F

If you have any questions about CPR, contact our specialist team at **cpr@excel-networking.com**. For sales enquiries, please contact our team at **internationalsales@excel-networking.com** or call **+44(0)121 326 2475**.

Plastic Free Packaging

ZERO Plastic Packaging

As a business we are acutely aware of the damage that plastic has on the environment and that is why in 2019 we were the first infrastructure brand to remove 'single use plastic' from the majority of our product packaging.

Our copper and fibre product lines are supplied in 100% recycled and recyclable card and paper packaging. By switching to "natural" brown packaging options, since 2019 we have saved a total of **69.5M plastic bags**, which equates to **174 tonnes** of single use plastic from entering the supply chain. Based on our sales figures we will save **18.5 million single-use plastic bags*** entering the supply chain each year. This is the equivalent of over **46.5 tonnes** of single-use plastic being removed from the supply chain and replaced with **100% recyclable** packaging every year.

*based in 2022 Excel sales figures

By using our boxes of 24 keystone jacks you can also save at least **60% preparation time** on your installation, as well as significantly reducing the amount of packaging compared to purchasing single jacks.

Find out more **https://excel-networking.com/plastic-free-packaging**

Contents

Visit
www.excel-networking.com
to view the full online catalogue, download literature and educational information such as the Excel Encyclopaedia and white papers.

excel

Whilst every attempt has been made to show exact photos of the products available within this catalogue, please note that sometimes only the style of the product is depicted.

Copper Cabling

Excel Solid Cat6$_A$ Cable U/FTP LSOH

Description	Part Number
Excel Solid Cat6$_A$ Cable U/FTP LSOH CPR Euroclass B2ca 305 m Box White	190-191 R 305*

Excel Solid Cat6 Cable U/UTP LSOH

Description	Part Number
Excel Solid Cat6 Cable U/UTP 23AWG LSOH CPR B2ca 500 m Reel Violet	190-071 B 500
Excel Solid Cat6 Cable U/UTP LSOH CPR Euroclass B2ca 305 m Box White	190-074 R 305*

Excel Solid Cat6 Cable U/UTP PE External Grade

Description	Part Number
Excel Solid Cat6 Cable U/UTP PE External Grade Fca 305 m Box Black	100-100 R 305

Excel Solid Cat6 Cable F/UTP LSOH

Description	Part Number
Excel Solid Cat6 Cable F/UTP LSOH CPR Euroclass B2ca 305 m Reel Violet	190-076 R 305
Excel Solid Cat6 Cable F/UTP LSOH CPR Euroclass B2ca 500 m Reel Violet	190-076 B 500

* Available in all branches

Excel Solid Cat5e Cable U/UTP LSOH

Description	Part Number
Excel Solid Cat5e Cable U/UTP LSOH Euroclass B2ca 305 m Box Violet	190-066 R 305*

Copper Patch Leads

Excel Cat6$_A$ Patch Lead F/FTP Shielded LSOH Blade Booted

Patch leads are available in plastic free packaging as standard

Read more about Excel's plastic free initiative in Section 2 of the Encyclopaedia

| Length (M)	Grey	Red	Yellow
0.5 (pack of 10)	100-176-10*	100-221-10*	100-222-10*
1	100-148*	100-161*	100-166*
2	100-152*	100-162*	100-167*
3	100-153*	100-163*	100-168*
5	100-154*	100-165*	100-170*

* Available in all branches

Patch Panels, Keystone Jacks and Mounting Hardware

Excel Unloaded 24 Port Screened Keystone Patch Panel Frame

Description	Part Number
Excel Unloaded 24 Port Screened Keystone Patch Panel Frame 1U Black	100-755*

Excel Voice Patch Panels

Description	Part Number
Excel Voice 25 Port 3-Pair RJ45 Patch Panel 1U Black	100-465
Excel Voice 50 Port 3-Pair RJ45 Patch Panel 1U Black	100-464

Excel Cat6$_A$ Low Profile Keystone Jack Toolless

Description	Part Number
Excel Cat6$_A$ FTP Screened Low Profile Keystone Jack Toolless Silver (Box 24)	100-181-24
Excel Cat6$_A$ FTP Screened Low Profile Keystone Jack Toolless Silver	100-181*
Excel Cat6$_A$ FTP Screened Shuttered Low Profile Keystone Jack Toolless Silver (Box 24)	100-184-24

Excel Cat6$_A$ UTP Unscreened Low Profile Keystone Jack Toolless

Description	Part Number
Excel Cat6$_A$ UTP Unscreened Low Profile Keystone Jack Toolless White	100-182-WT
Excel Cat6$_A$ UTP Unscreened Low Profile Keystone Jack Toolless Black	100-182-BK

* Available in all branches

Excel Cat6$_A$ Screened Toolless Coupler

Description	Part Number
Excel Cat6$_A$ Screened Toolless Coupler (6-Pack)	100-114-06*

Excel Cat6$_A$ (FTP) Field Termination RJ45 Plug

Description	Part Number
Excel Cat6$_A$ (FTP) Field Termination RJ45 Plug	100-140*
Excel Cat6$_A$ (FTP) Field Termination RJ45 Plug (6-Pack)	100-140-06

Excel Cat6 UTP Unscreened Low Profile Keystone Jack Toolless

Description	Part Number
Excel Cat6 UTP Unscreened Low Profile Keystone Jack Toolless Black (Box 24)	100-215-BK-24
Excel Cat6 UTP Unscreened Low Profile Keystone Jack Toolless Black	100-215-BK*
Excel Cat6 UTP Unscreened Low Profile Keystone Jack Toolless White (Box 24)	100-215-WT-24
Excel Cat6 UTP Unscreened Low Profile Keystone Jack Toolless White	100-215-WT*

Excel Category 6 Screened Keystone Jack – Toolless

Description	Part Number
Excel Cat6 FTP Screened Keystone Jack Toolless Silver 34.3mm (Box 24)	100-209-24

* Available in all branches

Excel Keystone Shutters

Description	Part Number
Excel Curved Shutter For Keystone Jack 45x45mm 1 Port	100-281*
Excel Curved Shutter For Keystone Jack 45x45mm 2 Port	100-282*
Excel Flat Shutter For Keystone Jack 45x45mm 1 Port	100-289
Excel Flat Shutter For Keystone Jack 45x45mm 2 Port	100-290

Excel Keystone Surface Mount Box

Description	Part Number
Excel 1 & 2 Port Keystone Surface Mount Box	100-021

Keystone Jacks not included

Excel 12 Way Low Profile Consolidation Point

Description	Part Number
Excel 12 Way Low Profile Consolidation Point Grey White	350-644
Excel Flat Shutter LJ6C for Keystone Jack White	100-018

Excel Multi Purpose Side Cutter

Description	Part Number
Excel Multi Purpose Side Cutter	202-043*

Excel Adjustable Cable Strip Tool

Description	Part Number
Excel Adjustable Cable Strip Tool	202-124*

* Available in all branches

Excel Enbeam Fibre Cable

Excel Enbeam Internal/External Grade Fibre Cable – OM3/OM4/OS2

Tight Buffered				
CPR-Rating	No. of cores	OM3	OM4	OS2
	6	200-118	204-106	205-230
Cca	12	200-157	204-112	205-324
	24	200-159	204-124	205-328

Excel Enbeam Fibre Pigtails

Excel Enbeam Fibre Pigtails – 50/125µm OM3/OM4 & 9/125µm (12-Pack)

Pigtail Type	OM3 Aqua	OM4 Violet	OS2 Yellow
Length 1m			
LC/UPC	200-645	200-647	200-650

Excel Enbeam Fibre Adaptors

LC Adaptors	
Excel Enbeam LC Duplex Multimode Adaptor Rose (6-Pack)	201-132-06
Excel Enbeam LC Duplex Singlemode Adaptor Blue (6-Pack)	200-364-06
Excel Enbeam LC Duplex Multimode Adaptor Aqua (6-Pack)	201-137-06

Excel Enbeam Fibre Patch Panels

Description	Part Number
Multimode	
Excel Enbeam 24 Way Multimode Fibre Optic Panel 4 LC Duplex (8 Fibre)	200-460
Excel Enbeam 24 Way Multimode Fibre Optic Panel 8 LC Duplex (16 Fibre)	200-462
Excel Enbeam 24 Way Multimode Fibre Optic Panel 12 LC Duplex (24 Fibre)	200-464
Excel Enbeam 24 Way Multimode Fibre Optic Panel 24 LC Duplex (48 Fibre)	200-466
Singlemode	
Excel Enbeam 24 Way Singlemode Fibre Optic Panel 12 LC Duplex (24 Fibre)	200-474
Empty Panels	
Excel Enbeam 24 Way Singlemode SC Simplex/LC Duplex Fibre Optic Panel Empty	200-952

Excel Enbeam Enbeam Splice Accessories

Description	Part Number
Excel Enbeam Splice Cassette for 24 Fibres	200-400
Excel Enbeam Splice Protectors 61mm x 3mm Clear	200-398

Excel Environ® Networking Racks

Environ® SR Series

SR

Environ® SR800 – 800mm Wide Server Rack

1000 mm Deep Racks

U Size	Width	Depth	Overall Height	Part Number Black
42U	800 mm	1000 mm	2000 mm	544-42810-WDBR-BK
47U	800 mm	1000 mm	2223 mm	544-47810-WDBR-BK

1200 mm Deep Racks

U Size	Width	Depth	Overall Height	Part Number Black
42U	800 mm	1200 mm	2000 mm	544-42812-WDBR-BK

The racks above are supplied fully built, if you require a flat pack option then please add –**FP** to the end of each code.

Environ® racks are shipped in robust packaging to ensure that they arrive at your premises in pristine condition.

Environ® ER Series

ER

Environ® ER800 – 800mm Wide Equipment Rack

800 mm Deep Racks

U Size	Width	Depth	Overall Height	Part Number Black
29U	800 mm	800 mm	1490 mm	542-2988-WDBF-BK
42U	800 mm	800 mm	2070 mm	542-4288-WDBF-BK

1000 mm Deep Racks

U Size	Width	Depth	Overall Height	Part Number Black
42U	800 mm	1000 mm	2070 mm	542-42810-WDBF-BK

The racks above are supplied fully built, if you require a flat pack option then please add –FP to the end of each code.
For part numbers of racks without side panels please refer to the relevant specification sheet or via the online catalogue.

The palletwrap used on the Excel racks is manufactured from 30% recycled film and is 100% recyclable.

Excel Environ® Networking Racks

Environ® CR Series

Environ® CR600 – 600mm Wide Comms Rack

600 mm Deep Racks

U Size	Width	Depth	Overall Height	Part Number Black
24U	600 mm	600 mm	1270 mm	542-2466-GSBN-BK

Environ® CR800 – 800mm Wide Comms Rack

800 mm Deep Racks

U Size	Width	Depth	Overall Height	Part Number Black
24U	800 mm	800 mm	1270 mm	542-2488-GSBF-BK
33U	800 mm	800 mm	1670 mm	542-3388-GSBF-BK
42U	800 mm	800 mm	2070 mm	542-4288-GSBF-BK

1000 mm Deep Racks

U Size	Width	Depth	Overall Height	Part Number Black
42U	800 mm	1000 mm	2070 mm	542-42810-GSBF-BK

The racks above are supplied fully built, if you require a flat pack option then please add –FP to the end of each code.
For part numbers of racks without side panels please refer to the relevant specification sheet or via the online catalogue.

Environ® Wall Mounted Racks

WR390 Series – 390mm Deep

U Size	Width (mm)	Overall Height (mm)	Depth (mm)	Part Number Black
6U	570	368	390	WB6.390SG-BK*
9U	570	501	390	WB9.390SG-BK
12U	570	635	390	WB12.390SG-BK

WR500 Series – 500mm Deep

U Size	Width (mm)	Overall Height (mm)	Depth (mm)	Part Number Black
6U	570	368	500	WB6.5SGB
9U	570	501	500	WB9.5SGB
12U	570	635	500	WB12.5SGB*
15U	570	769	500	WB15.5SGB

WR600 Series – 600mm Deep

U Size	Width (mm)	Overall Height (mm)	Depth (mm)	Part Number Grey	Part Number Black
6U	570	368	600	WB6.6SG	WB6.6SGB
9U	570	501	600	-	WB9.6SGB
12U	570	635	600	WB12.6SG	WB12.6SGB
15U	570	769	600	WB15.6SG	WB15.6SGB
18U	570	901	600	-	WB18.6SGB
21U	570	1037	600	-	WB21.6SGB

* Available in all branches

Cage Nuts and Bolts (50-Pack)

Description	Part Number
Cage Nuts and Bolts (50-Pack)	M6CNU

Environ® Shelves

Fixed Shelves

		Compatibility								
		CR	ER	CL	SR		OR	WR		
		CR ER CL Depth			SR Depth			WR Depth		
Part Number Black	Mounting Depth	600	800	1000	1000	1200	OR	390	500	600
542-022-BK	350	✓	✓	✓	✓	✓				
542-023-BK	550		✓	✓	✓	✓				
542-024-BK	720			✓		✓				

● *All dimensions are in mm*

Adjustable Shelf

		Compatibility							
		CR	ER	CL	SR	OR	WR		
		CR ER CL SR Depth				OR	WR Depth		
Part Number Black	Depth	600	800	1000	1200	OR	390	500	600
542-026-BK	430-720	✓	✓	✓					

● *All dimensions are in mm*

Excel Cable Management Bars

Description	Part Number
Excel Cable Management Bar 1U 4 Vertical Metal Hoops 65mm Black	100-582
Excel Cable Management Bar 1U 5 Vertical Plastic Hoops 65mm Black	100-586*

* Available in all branches

Environ® Plinths

SR Racks

Description	Part Number
800 mm Wide x 1000 mm Deep	544-980-BK
800 mm Wide x 1200 mm Deep	544-982-BK

CR and ER Racks

| Description	Part Number
600 mm Wide x 600 mm Deep	542-966-BK
800 mm Wide x 800 mm Deep	542-988-BK
800 mm Wide x 1000 mm Deep	542-980-BK

Environ® Earth Bonding Kit

Description	Part Number
Environ® CR/ER Earth Bonding Kit	542-006
Environ® SR Earth Bonding Kit	544-006

Environ® Fan Trays

WR Racks

Description	Part Number
2 Way Roof Fan Tray (Schuko) Black	540-302-BK-SCHUKO
2 Way Roof Mount Fan Tray Black	540-302-BK
IEC C13 Lead to Schuko Plug	350-300

Excel 9 Way Vertical PDU 9x NFC Socket 16A Plug UnSwitch w/ LED Indicator

Description	Part Number
Excel 9 Way Vertical PDU 9x NFC Socket 16A Plug UnSwitch w/ LED Indicator	555-122

Excel Intelligent PDUs

excel
without compromise.

### Energy Efficient Latching Relays

Uses energy efficient bi-stable latching relays. These relays consume up to 70% less energy than alternatives, making outlet switching safer and configured in such a way that the outlet power distribution is always maintained.

OLED display

Shows Input power parameters and scroll individual outlet (V,A,PF,W,KWxH). Screen turns its orientation according PDU position.

Accurate Environment Monitoring cascading sensors EMD

The sensors benefit from the latest, most high-tech metering components, delivering the highest metering accuracy for temperature and relatve humidity. Each sensor is built with 2 additional digital input contacts for (water leak, door contact, motion, vibration, smoke and any other sensor with normally open or closed). Sensors can be deployed in cascade up to 8 EMD sensors using network cables.

PDU Cascading Option

In order to save on network ports and manage multiple devices from one IP address we offer the opportunity to daisy chain up to 16 PDUs using Cat5/6 cable.

Kwh Metering Accuracy

Enabling precise allocation of data centre expenses with +/- 1% billing grade accuracy.

kWh +/-1%

High Outlet flexibility and alternating phase

IEX socket is a UL and IEC tested combination of C13 and C19 outlet that accommodates either a C14 and or C20 plug. Alternating phase set up helps on power balance for three phase systems.

RCM Residual Current Monitoring Option

By measuring current flowing in the ground wire, our residual current monitoring by BENDER™ reduces the risk of electric shock. PDUs equipped with residual current monitoring dramatically reduce the burden of regulatory auditing.

P-Lock & V-Lock Compatible outlets

Secure Locking Outlets

EXCEL intelligent rack PDUs are equipped with lockable outlets preventing power cords accidently coming unplugged due to human error or vibration.

DCIM Compatible

Interoperability with third party software

If you need to centrally manage all PDUs in your data centre we offer all communication protocols. Our solutions offer the option to communicate the status of rack-level power and environmental information to any third party Datacentre Infrastructure Management (DCIM) solution

Field-Replaceable Controller

The hot-swappable onboard controller, ensures that servers will never experience downtime when maintenance in the Data Centre is required and ensuring the infrastructure will never be obsolete being update ready.

Power Share Fail Over

Maintain the PDU sending alarams and network conectivitiy in case one of the PDUs in same rack loose power feed

Redundant Network Connections

World's first double Gigabit ethernet port PDU ensures monitoring reliability and allowing to be shared with Data centre management and end clients in one or two separate Networks

Security

EXCEL PDUs support the most stringent security protocols in the market in order to prevent unauthorized access (256 bit AES encryption, Radius, SNMPv3, user permissions, SSHv2, SSL, HTTPS).

Hydraulic-magnetic Circuit Breakers monitoring

Built with highly reliable hydraulic-magnetic circuit breakers which are not affected by ambient temperature and support delay curves appropriate for IT-equipment. The PDU proactively monitoring the status of the breakers in order to prevent downtime due to server power supply failure or overloads, sending an alert for any high load that risk a tripped circuit.

Full Color Range

Coloured PDUs make it easier to reduce human errors, identify power feeds, lowering the risk of unplanned downtime, EXCEL PDUs are available in any RAL-colour.

excel
without compromise.

YouTube
/ExcelNetworking

Excel offers a range of videos on our Youtube Channel to provide an overview of products and services available alongside technical support.

- Specialist Support Services
- "Excel Explains..." Webinars
- Excel "60 Second Insights"

- Excel "How-To" Videos
- Educational Overviews
- Infographics

View the videos now

Contact us to see how our team of experts can help you.

T: +44 (0)121 326 7557   **E:** sales@excel-networking.com
W: www.excel-networking.com

cebeo
A Sonepar Company

AARSCHOT
Nieuwlandlaan 79 (IZ. B421), 3200 Aarschot
aarschot@cebeo.be
T 016/57.09.11

ARLON
Rue Claude Berg 46 - Zoning artisanal
de Weyler 46, 6700 Arlon
arlon@cebeo.be
T 063/21.29.90

BRAINE-LE-CHÂTEAU
Parc Industriel 4B 13, 1440 Braine-le-Château
braine@cebeo.be
T 02/366.94.61

BRUGGE
Lieven Bauwensstraat 10, 8520 Sint-Andries
brugge@cebeo.be
T 050/45.78.78

BRUSSEL (TOUR & TAXIS)
Drève Anna Boch 11, 1000 Brussel
brussel@cebeo.be
T 02/421.39.00

DEINZE
Clemence Dosschestraat 11, 9800 Deinze
deinze@cebeo.be
T 09/381.59.00

DEURNE
Kruiningenstraat 14, 2100 Deurne
deurne@cebeo.be
T 03/360.93.20

DINANT
Rue Saint-Jacques 325, 5500 Dinant
dinant@cebeo.be
T 082/22.27.45

DROGENBOS
W.A. Mozartlaan 10, 1620 Drogenbos
drogenbos@cebeo.be
T 02/334.12.10

EEKLO
Zeelaan 7c, 9900 Eeklo
eeklo@cebeo.be
T 09/377.67.63

EREMBODEGEM
Brusselbaan 287A-289A,
9320 Erembodegem
erembodegem@cebeo.be
T 053/21.27.93

ETTERBEEK
Boulevard Louis Schmidt 3 bus 1,
1040 Etterbeek
etterbeek@cebeo.be
T 02/739.47.70

GEEL
Bell telephonelaan 3A, 2440 Geel
geel@cebeo.be
T 014/56.38.10

GENK
Witmeerstraat 1, 3600 Genk
genk@cebeo.be
T 089/35.35.13

GENT
New-Orleansstraat 10, 9000 Gent
gent@cebeo.be
T 09/255.76.76

GHISLENGHIEN
Avenue Des Artisans 51, bus 1,
7822 Ghislenghien
ghislenghien@cebeo.be
T 068/25.09.70

GRÂCE-HOLLOGNE
Rue de Wallonie 13, 4460 Grâce-Hollogne
gracehollogne@cebeo.be
T 04/239.73.00

GROOT-BIJGAARDEN
Alfons Gossetlaan 9, 1702 Groot-Bijgaarden
groot-bijgaarden@cebeo.be
T 02/334.12.50

HAREN
Sint Stevens Woluwestraat 55, 1130 Brussel
resi-haren@cebeo.be
T 02/247.93.30

HASSELT
Het Dorlik 3, 3500 Hasselt
limburg@cebeo.be
T 011/26.04.00

HERSTAL (HAUTS SARTS)
Parc industriel des Hauts-Sarts - Première
Avenue 2, 4040 Herstal
herstal@cebeo.be
T 04/345.96.96

IEPER
Dehemlaan 15, 8900 Ieper
ieper@cebeo.be
T 057/20.32.34

JUMET
Première Rue 1, 6040 Jumet
jumet@cebeo.be
T 071/29.73.73

KALMTHOUT
Kwade Weide 16, 2920 Kalmthout
kalmthout@cebeo.be
T 03/328.04.60

KORTRIJK
Zwingelaarsstraat 7, 8500 Kortrijk
kortrijk@cebeo.be
T 056/36.57.11

KUURNE
Industrielaan 3, 8520 Kuurne
kuurne@cebeo.be
T 056/36.48.00

LEUVEN (HEVERLEE)
Ambachtenlaan 31a, 3001 Leuven
brabant@cebeo.be
T 016/40.08.48

LIBRAMONT
Z. I. de Recogne - Le pré aux Epines 21,
6800 Libramont
libramont@cebeo.be
T 061/21.01.80

LIER
Ondernemersstraat 9, 2500 Lier
lier@cebeo.be
T. 03/205.68.30

LOKEREN
Dijkstraat 19, 9160 Lokeren
lokeren@cebeo.be
T 09/348.29.51

LUMMEN
Bosstraat 46, 3560 Lummen
lummen@cebeo.be
T 011/42.26.14

MARCHE-EN-FAMENNE
Boucle de la Famenne 15,
6900 Marche-en-Famenne
marcheenfamenne@cebeo.be
T 084/24.40.00

MECHELEN
Maanstraat 9, 2800 Mechelen
mechelen@cebeo.be
T 015/27.06.53

MELLE
Zwaantjesstraat 33, 9090 Melle
melle@cebeo.be
T 09/225.57.54

MONS
Grand Route 212, 7033 Mons (Cuesmes)
mons@cebeo.be
T 065/40.24.40

MOUSCRON
Rue du Plavitout 131, 7700 Moeskroen
mouscron@cebeo.be
T 056/56.16.16

NAMUR (SUARLÉE)
Rue du Fond du Maréchal 15, 5020 Suarlée
namur@cebeo.be
T 081/72.17.40

OOSTENDE
Plantijnstraat 4, 8400 Oostende
oostende@cebeo.be
T 059/56.05.60

OUDENAARDE
Industriepark De Bruwaan 27,
9700 Oudenaarde
oudenaarde@cebeo.be
T 055/23.22.00

PÉRUWELZ
Rue de l'Europe 14, 7600 Péruwelz
peruwelz@cebeo.be
T 069/77.96.66

ROESELARE
Hofter weze 28, 8800 Roeselare
roeselare@cebeo.be
T 051/24.21.51

SINT-TRUIDEN
IZ Schurhovenveld - Bedrijvenstraat
4308 - poort 5870, 3800 Sint-Truiden
sinttruiden@cebeo.be
T 011/68.89.02

SOIGNIES
Chemin de la Guelenne 54, 7060 Soignies
soignies@cebeo.be
T 067/88.77.10

TEMSE
Laagstraat 25, 9140 Temse
temse@cebeo.be
T 03/250.51.25

TONGEREN
Industriezone Overhaem - Prinsenweg 9,
bus 11, 3700 Tongeren
tongeren@cebeo.be
T 012/24.23.60

TOURNAI (AVENUE DE MAIRE)
Avenue de Maire 31, 7500 Tournai
tournai@cebeo.be
T 069/21.60.58

TURNHOUT
Veedijk 31, 2300 Turnhout
turnhout@cebeo.be
T 014/44.84.84

VERVIERS (DISON)
Avenue Jardin-Ecole 43, 4820 Dison
dison@cebeo.be
T 087/56.03.74

VEURNE
Koksijdestraat 18, 8630 Veurne
veurne@cebeo.be
T 058/31.51.44

WAREGEM
Eugène Bekaertlaan 59, 8790 Waregem
waregem@cebeo.be
T 056/23.84.80

WAVRE (BIERGES)
Rue Provinciale 263/H, 1301 Bierges
wavre@cebeo.be
T 010/42.12.12

WILRIJK
Kleine Doornstraat 299, 2610 Wilrijk
antwerpen@cebeo.be
T 03/450.86.00

ZOTTEGEM
Astridstraat 5, 9620 Zottegem
zottegem@cebeo.be
T 09/360.29.81

excel
without compromise.

MF1735_11/2023_CEBEO